



Let's compute the rotation matrix R

Rotation about $axis = (1,2,3)$


by θ degrees

$= 30$


Before rotation




After rotation




Step 1: rotate the axis
so that it is aligned
with the Z-axis



Step 2: rotate about
the Z-axis by θ
= 30



Step 3: rotate the Z-
axis back to the
original axis



How to compute

R_{az} (Axis a to axis z)

1. Let the normalize axis


$$a = \frac{\text{axis}}{\|\text{axis}\|} \approx (0.27, 0.53, 0.80)$$

$$\|v\| = \sqrt{v \cdot v} = \sqrt{x^2 + y^2 + z^2}$$

where $v = (x, y, z)$




2. Calculate vector p that is perpendicular to both a and Z-axis

$$p = \frac{a \times (0, 0, 1)}{\|a \times (0, 0, 1)\|}$$



How to compute

3. after rotation R_{az}





R_{az}

$R_{az}a$ becomes $(0,0,1)$

$R_{az}p$ becomes p

$R_{az}(p \times a)$ becomes $p \times (0,0,1)$



How to compute

 R_{az}

3. Then after the rotation R_{az}
- $R_{az}a$ becomes $(0,0,1)$
 - $R_{az}p$ becomes p
 - $R_{az}(p \times a)$ becomes $p \times (0,0,1)$

Therefore,

$$R_{az}([a][p][p \times a]) = \begin{pmatrix} 0 \\ 0 & [p] & [p \times (0,0,1)] \\ 1 \end{pmatrix}$$

Finally,

$$R_{az} = \begin{pmatrix} 0 \\ 0 & [p] & [p \times (0,0,1)] \\ 1 \end{pmatrix} ([a][p][p \times a])^{-1}$$


Matlab codes:

```
> z=[0;0;1]
```

```
> Raz=[z p cross(p,z)] *inv([a p cross(p,a)])
```

Finally,

- The rotation matrix



Acknowledgement

- Acknowledgement: Some materials come from the lecture slides of
 - Prof. Taesoo Kwon, Hanyang Univ., <http://calab.hanyang.ac.kr/cgi-bin/cg.cgi>